

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**Product Name:** FOAM CARE® Skin Care Product Mild Lotion Soap**Product Number:** 410, 4104, E0029

Date Prepared:	8/22/2003
Manufacturer:	Kimberly-Clark Corporation 1400 Holcomb Bridge Road Roswell, GA 30076-2199 United States of America
Telephone: MEDICAL EMERGENCY TRANSPORTATION EMERGENCY INFORMATION	1-877-561-6587 Chemtrec 1-800-424-9300 1-888-346-4652

Product Use: Skin/personal cleansing**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No./ EINECS-No	%	EU Classification (67/548/EEC):
Isopropanol (Isopropyl alcohol)	67-63-0 / 200-061-7	3.5%	F, Xi R11, R36, R67
Non-Hazardous Ingredients	Proprietary	96.5%	Not applicable

See Section 16 for further information on EU Classification.

3. HAZARDS IDENTIFICATION**Emergency Overview:** Clear, colorless liquid. Alcohol odor. May cause mild eye irritation. This product is intended for use as a hand cleanser and is expected to contact the skin. Prolonged skin contact may cause mild irritation in sensitive individuals.**EU Classification (1999/45/EC):** Not classified as a dangerous substance or preparation.**US OSHA Classification (29CFR1910.1200):** Not Hazardous**Canadian WHMIS Classification:** Not a controlled product.**4. FIRST AID MEASURES****Inhalation:** Move to fresh air. Seek medical advice if cough, shortness of breath or other respiratory problems occur.

Skin contact: Wash off excess with water. This product is intended for use on the skin. Seek medical advice if redness, swelling, itching or burning occurs.

Eye contact: Rinse with plenty of water. Obtain medical attention if irritation persists.

Ingestion: Call a physician or Poison Control Centre immediately. If victim is conscious, rinse mouth with a small amount of water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.

5. FIRE-FIGHTING MEASURES

Flashpoint: None.

Flammable Limits in Air % by Volume:

LEL (Lower): 2.0% (Isopropanol (Isopropyl alcohol))

UEL (Upper): 12.7% (Isopropanol (Isopropyl alcohol))

Suitable Extinguishing Media: Water, water fog, foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective suit.

Unusual Fire and Explosion Hazards: None expected.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide. Oxides of sulfur.

6. ACCIDENTAL RELEASE MEASURES

Clean up excess material and place in container for reclaim, recycle or disposal.

7. HANDLING AND STORAGE

Avoid contact with eyes. Avoid prolonged contact with skin.

Avoid temperatures above 104°F (40°C). Do not freeze.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	Exposure limit(s)
Isopropanol (Isopropyl alcohol)	400 ppm PEL-TWA 200 ppm TLV-TWA, 400 ppm TLV-STEL 200 ppm DFG MAK

Ventilation: No special ventilation normally required.

Respiratory Protection: No personal respiratory protective equipment normally required.

Protective Gloves: This product is intended to come in contact with the skin.

Eye Protection: None required for normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor	Clear, colorless liquid. Alcohol odor.
Boiling point/range	180°F (82°C)
Melting point/range	Not applicable
Specific Gravity (water=1)	0.996-1.006
Vapor pressure	33 mmHg@20°C (Isopropanol (Isopropyl alcohol))
Vapor density (air=1)	2.1
Solubility	Complete
pH	6.0-8.0
Partition coefficient (n-octanol/water):	Not available
Evaporation Rate (Butyl acetate=1)	Not available
Percent Volatile by Volume (%)	>80%
Volatile Organic Carbon Compounds (VOC) (g/L)	35

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: None currently known.

Materials to avoid: None currently known.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide. Oxides of sulfur.

Hazardous Polymerization: Does not occur.

11. TOXICOLOGICAL INFORMATION

Symptoms/Effects of Overexposure:

Inhalation: None expected.

Skin contact: Prolonged skin contact may cause mild irritation in sensitive individuals.

Eye contact: May cause mild irritation.

Ingestion: Not intended for ingestion, however, no unusual hazards expected.

Chronic toxicity: None currently known.

Medical Conditions Aggravated by Exposure: None currently known.

Carcinogenicity Data: None of the components of this product is listed as a carcinogen by IARC, NTP or OSHA.

Reproductive Toxicity: No adverse effects on reproduction are known.

Acute Toxicity Values: Product estimated oral toxicity = >5000 mg/kg

12. ECOLOGICAL INFORMATION

No data is currently available.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all state, local and federal regulations.

14. TRANSPORT INFORMATION

US DOT Shipping Description: Not regulated

IATA Shipping Description (Air): Not regulated

IMDG Shipping Description (Vessel): Not regulated

15. REGULATORY INFORMATION

US Regulations

EPA Toxic Substances Control Act (TSCA): All of the components of this product are listed on the TSCA Inventory or exempted from TSCA. This product contains isopropanol, which is subject to export notification under Section 12(b).

SARA 302 Listed Chemicals: None.

SARA 311/312 Hazard Categories: None.

SARA 313 This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under the SARA Section 313 (40 CFR 372): None.

California Proposition 65: This product does not contain chemicals listed per the Safe Drinking Water and Toxic Enforcement Act of 1986.

International Regulations

Canadian WHMIS Classification: Not a controlled product.

EU Labeling: None.

16. OTHER INFORMATION

HMIS Rating: Health 0 Fire 0 Reactivity 0

EU Classes and Risk Phrases for Reference (See Sections 2 and 3):

Xi - Irritant

F - Highly flammable

R11 - Highly flammable.

R36 - Irritating to eyes.

R67 - Vapours may cause drowsiness and dizziness.

The information contained herein is true and correct to the best of Kimberly-Clark's knowledge. However, no warranty, express or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.