

# Heavy Duty CLEANER/DEGREASER

Non Combustible - For Institutional use only.

Contains no butyl cellosolve or other toxic solvents

#### FOR USE IN HOT OR COLD WATER

- MAXIMUM POWER degreases solid surfaces
- CONTROLLED SUDS for use in automatics BIODEGRADABLE
  - VERSATILE can be used in steam and mechanical cleaning
- DEODORIZES SYNER-BLENDED and inhibited against rusting and corrosion
  - EASY-free rinsing-SEQUESTERED against power fade out in hardest water
    - DEGREASES-automotive and industrial soil

#### **DIRECTIONS FOR USE:**

For use in Automatic Scrubbers: Increase strength of use dilution only enough to remove soil present. For Steam Cleaning: To the concentrate solution tank, mix 4 - 14 ounces to each gallon of water. Adjust the solution tank valve to obtain amount of cleaner required for different soil conditions. This product can be used for soak tank cleaning at 12 ounces per gallon of water.

#### NOTE

In changing from a powder compound to this product, inspect and clean coil to remove powder particles or accumulated scale. In the event this container is frozen, it can be thawed by placing a steam hose in the container and heating.

For Spray Cleaning: Prepare solution and apply by spray to surface, let stand approximately 5 - 10 minutes. Then rinse with clear water spray.

High Pressure Spray Equipment: Mix initial solution for supply tank as shown below and adjust metering valve for efficient final dilution with water.

General Cleaning: Prepare solution strength desired according to table below. Apply solution by mop or sponge, scrub if necessary, then rinse thoroughly.

Parts Of

	i ui	10 01
Soil	Cleaner	Water
Light (dry soil)	1	20
Medium (new oily soil)	1	10
Heavy (aged oil dry soil)	1	3
For use in automatic scrubbers,		
increase strength of use dilution		
only enough to remove soil present		

#### CAUTION:

# KEEP OUT OF THE REACH OF CHILDREN KEEP FROM FREEZING

Only for sale to, use and storage by Service Personnel.

For best product efficiency keep stock rotated.

Shelf life is 1 year

Judgments as to the suitability of the information provided herein for the purchaser's purposes are necessarily the purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Iowa Prison Industries extends no warranties, makes no representations and assumes no responsibility as to the accuracy or suitability of such information for application to the purchaser's intended purposes or for the consequences of its use.



### SAFETY DATA SHEET

Issue Date 16-Jun-2015 Revision Date 3/17/16 Version 1

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Heavy Duty Cleaner Degreaser

Other means of identification

**SDS#** JC-029-002

Details of the supplier of the safety data sheet

Company Name Iowa Prison Industries

406 N HIGH STREET ANAMOSA, IA 52205 1-319-462-3547

Emergency telephone number

Emergency Telephone 1-866-923-4913

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### Label elements

#### **Emergency Overview**

## **Danger**

#### **Hazard statements**

Causes severe skin burns and eye damage



Appearance Clear Physical state Liquid Odor Organic Solvent

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-(2-methoxypropoxy)propanol	34590-94-8	3-7	*
1-methoxy-2-propanol	107-98-2	1-5	*
Sodium Hydroxide	1310-73-2	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

**General advice** Immediate medical attention is required.

**Skin Contact** Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

**Self-protection of the first aider** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Page 2/8

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### **Explosion data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Page 3/8

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-methoxypropoxy)propanol 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³
1-methoxy-2-propanol 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m³	TWA: 100 ppm TWA: 360 mg/m³ STEL: 150 ppm STEL: 540 mg/m³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Sulfuric Acid 7664-93-9	TWA: 0.2 mg/m³ thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard

exists.

**Skin and body protection**Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls.

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Keep away from food, drink and animal feeding

stuffs. Regular cleaning of equipment, work area and clothing is recommended.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColorTurquoiseOdorOrganic Solvent

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.5-12.0 Specific Gravity 1.01

Viscosity
No Information available
Melting point/freezing point
No Information available

Flash point Above 200°F

Boiling point / boiling range
Evaporation rate

No Information available
No Information available

Flammability (solid, gas)
Flammability Limits in Air

Upper flammability limit:No Information availableLower flammability limit:No Information availableVapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

**Other Information** 

Density Lbs/Gal 8.42 VOC Content (%) 10

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** No data available. Avoid breathing vapors or mists.

**Eye contact** Avoid contact with eyes. Causes severe eye damage.

**Skin Contact** Avoid contact with skin. Causes severe irritation and or burns.

Ingestion No data available. May cause adverse effects on the bone marrow and blood-forming

system. Not an expected route of exposure.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-methoxypropoxy)propano 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
1-methoxy-2-propanol 107-98-2	= 7200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 7500 mg/L (Rat) 6 h

#### Information on toxicological effects

Symptoms No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information available.Germ cell mutagenicityNo Information available.CarcinogenicityNo Information available.Reproductive toxicityNo Information available.STOT - single exposureNo Information available.STOT - repeated exposureNo Information available.

**Chronic toxicity**Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are

common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

 Target organ effects
 Central nervous system, EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-methoxypropoxy)propanol	-	10000: 96 h Pimephales promelas	1919: 48 h Daphnia magna mg/L
34590-94-8		mg/L LC50 static	LC50
1-methoxy-2-propanol	-	20.8: 96 h Pimephales promelas g/L	23300: 48 h Daphnia magna mg/L
107-98-2		LC50 static 4600 - 10000: 96 h	EC50
		Leuciscus idus mg/L LC50 static	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Dodecylbenzene Sulfonic Acid	-	3: 96 h Oncorhynchus mykiss mg/L	2.9: 48 h Daphnia magna mg/L
68584-22-5		LC50 static	EC50
Sulfuric Acid	-	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

#### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

	Chemical Name	Partition coefficient
--	---------------	-----------------------

#### **Heavy Duty Cleaner Degreaser**

Revision Date 3/17/16

2-(2-methoxypropoxy)propanol 34590-94-8	-0.064
1-methoxy-2-propanol	-0.437
107-98-2	

Other adverse effects No Information available

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

#### 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

Please see current shipping paper for most up to date shipping information, including DOT

exemptions and special circumstances.

#### 15. REGULATORY INFORMATION

International Inventories

**TSCA** Complies **DSL/NDSL** Complies

Sudden release of pressure hazard

#### Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SAR A 313 - Threshold Values %	
2-(2-methoxypropoxy)propano - 34590-94-8	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	

No

No

#### **CWA (Clean Water Act)**

**Reactive Hazard** 

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide	1000 lb	-	-	X
1310-73-2				

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Sulfuric Acid - 7664-93-9	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-methoxypropoxy)propano 34590-94-8	X	X	Х
1-methoxy-2-propanol 107-98-2	X	X	Х
Sodium Hydroxide 1310-73-2	X	X	-
Sulfuric Acid 7664-93-9	X	X	X

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

#### **16. OTHER INFORMATION**

NFPAHealth hazards3Flammability0Instability0Physical and Chemical PropertiesHMISHealth hazards3Flammability0Physical hazards0Personal protectionX

Issue Date16-Jun-2015Revision Date3/17/16

**Revision Note** 

No Information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**